

F42/5

SEALINE

ESTIMATED PERFORMANCE:

ENGINE OPTIONS:

2 x Cummins MerCruiser Diesel QSB 5.9 425hp (850hp total), conventional shaft with Total Command System	29/31 knots*
2 x Volvo Penta Diesel D6 435hp (870hp total), conventional shaft	29/31 knots*
2 x Cummins MerCruiser Diesel QSB 5.9 480hp (960hp total), conventional shaft with Total Command System	30/32 knots*

PRINCIPAL DIMENSIONS:

Length overall (inc. SECS™):	13.67m	44' 10"
Length overall:	12.90m	42' 4"
Beam:	4.21m	13' 10"
Height above waterline (inc. mast):	4.66m	15' 3"
Draft:	1.01m	3' 4"
Headroom:	1.93m	6' 4"
Fuel capacity:	2 x 705 ltr	2 x 155 gal
Water capacity:	630 ltr	138 gal
Weight (dry):	11,800kg	11.61 tons

STANDARD SPECIFICATION:

DECK

- Anchor, Delta 16kg with 40m of chain
- Anchor locker, self draining with fender storage
- Anchor safety leash
- Deck, moulding non slip
- Fendering strip in stainless steel
- Foredeck hatch, opening
- Fuel and water deck fillers
- Navigation lights, full set
- Pulpit and side rails in stainless steel
- Sealine concealed anchor stowage system
- Stainless bow fairlead
- Stainless cleats (8)
- Windlass, reversible electric
- Windscreen and side windows toughened tinted glass with stainless steel frame

COCKPIT & BATHING PLATFORM

- Access to large lazarette
- Access to side decks via teak laid steps
- Bathing platform, teak laid with built in storage locker
- Door to saloon, curved and sliding finished in toughened glass
- Fender locker
- Gas bottle locker with drain
- Handrails in stainless steel
- Lazarette access leading to engine room
- Lighting, overhead
- Seating, with storage below
- Sealine concealed canopy storage system

- Sealine Extending Cockpit System (SECS™) and bathing platform
- Stairway to flybridge, moulded with teak steps
- Swimming ladder
- Table with storage on underside of flybridge
- Teak laid and self-draining
- Transom door to port
- Transom shower with hot and cold water
- Wet bar with sink, mixer taps and Cupboard

FLYBRIDGE

- Access to cockpit via sliding hatch
- Cover for dash, seating and sunbed
- Drinks holders
- Ensign socket and staff
- Handrails in stainless steel
- Helm seat, twin, adjusts and swivels with stowage for table
- Radar mast, fibreglass
- Seating wrap around opposite the helm
- Speakers linked to the saloon
- Storage locker
- Sunbed with adjustable forward facing seat back rests and rear facing sunseat
- Table, removable
- Windscreen, curved and tinted

UPPER HELM

- Compass

- Engine instrumentation, full set
- Fuel gauges
- Rudder angle indicator
- Socket, 12V
- Speed and depth log, Raymarine ST60 Tridata

SALOON

- Access to engine room through floor hatches
- Bar unit and aft saloon unit, countertops finished in Solidcore matt black
- Electrical control panel for 220V and 12V circuits
- Fuel shut off valves in step
- Lighting, overhead
- Provision for TV in slide out unit
- Radio/CD player with (2) speakers and linked to flybridge
- Seating U-shaped to stbd converts to double berth with storage below
- Seating, port side (2) seater sofa
- Socket, 230V
- Storage cupboards
- Table height, adjustable with folding top
- Window, electric

LOWER HELM

- Chart stowage in overhead locker
- Compass
- Engine controls, electronic
- Engine instrumentation, full set
- Fuel gauges
- Helm seat and navigation seats, separate and adjustable

- Rudder angle indicator
- Socket, 12V
- Speed and depth log, Raymarine ST60 tridata
- VHF radio, Raymarine 240 E
- Window, electric

GALLEY

- 110 litre Fridge
 - Lighting, overhead
 - Oven and grill, gas
 - Port hole, opening
 - Sink, 70/30, stainless with mixer tap and lids
 - Socket, 230V
 - Storage cupboards
 - Storage under floor with modular drawer (2 cabin only)
 - Stove, gas (2) burner
 - Waste bin
- (NOTE - for optional 3rd cabin, galley moves up to same level as the saloon)

MASTER FORWARD CABIN

- Berth, double with drawer below
- Deck hatch, opening with blind
- En suite
- Lighting, overhead
- Mirror on forward bulkhead and cabin door
- Portholes (2), opening
- Reading lights, overhead
- Socket, 230V
- Upper lockers port and stbd
- Vanity unit port and stbd
- Wardrobe to port and stbd

MASTER EN-SUITE

- Glass and toilet roll holders
- Hand basin with mixer tap
- Lighting, overhead
- Porthole, opening
- Shaver socket
- Shower, separate compartment
- Shower drain with automatic pump
- Storage cupboard
- Toilet, electric quiet freshwater flush
- Towel ring
- Vanity unit with mirror

STARBOARD CABIN EN SUITE & DAY HEAD

- Glass and toilet roll holders
- Hand basin with mixer tap
- Porthole, opening
- Shaver socket
- Shower drain with automatic pump
- Shower with curtain
- Toilet, electric quiet freshwater flush
- Towel ring
- Vanity unit with mirror

OPTIONAL PORT CABIN (THREE-CABIN LAYOUT)

- Fixed lower berth
- Folding upper berth
- Porthole, opening
- Socket, 230V
- Storage locker

MECHANICAL

- Access hatch to engine room from cockpit and saloon
- Bilge pumps, automatic and manual
- Engine room sound proofing
- Engine room fans
- Engine room and lazarette lights
- Fuel filters for both engines
- Fuel tanks in marine grade aluminium alloy
- Fire extinguisher system, automatic, in engine room
- Steering, hydraulic
- Water tank, stainless steel

STARBOARD CABIN

- Berths, twin converting to double using fold over storage unit
- En suite
- Lighting, overhead
- Portholes (3), opening
- Socket, 230V
- Unit with mirror, 1 shelf and small cupboard
- Wardrobe to stbd

DÉCOR

- Blinds, pleated, starboard cabin,
- Blinds, venetian, saloon
- Carpeted saloon and cabins
- Wooden galley Floor, lower helm and steps
- Curtains, front cabin and patio door
- Exterior colour package, Sunbrella® canvas canopy & seating
- Furniture, cherry finish
- Galley and saloon work surfaces, Corian®
- Saloon complete with scatter cushions (4)
- Toilet and shower work surfaces, Corian®
- Upholstery seating, Linara Fabric

MISCELLANEOUS

- Antifoul
- Boat hook
- Clock and barometer
- Exterior covers, including windscreen cover white in colour
- Fenders, (6) with Sealine logo
- Fire extinguishers, hand operated (2)
- Mooring ropes (2)
- Sealine owner's manual

ELECTRICAL

- AC system, 220V with shore support system
- Air horn
- Batteries - domestic and stbd engine 2 x 165 Ah
- Batteries - port engine 1 x 165 Ah and 1 x 100 Ah with battery link switch
- Battery charger, 45 amp
- Calorifier with immersion heater
- CO detectors (3)
- DC system, 12V
- Fresh water pump
- LED package
- Remote control spotlight at both helms
- Shore power cable
- Trim tabs, with indicators at both helms
- Windscreen wipers, (2) with screen wash
- Water gauge

*All performance figures are given in good faith and are intended as an indication. These figures cannot be guaranteed as top speed in particular is affected by the cleanliness of the hull, conditions of the propellers, weight carried and air/sea temperatures. Sealine International reserve the right to change specifications in line with the company policy of improvement through research and development. Errors and omissions expected. Models shown in this brochure may include additional cost options that are not part of the standard specification. Accessories shown are for illustrative purposes only and are not included in the purchase price. Please check with your dealer for a full list of inclusions.

www.american-nautics.ro

ovidiu@american-nautics.ro



